MAX M. MAURÉR P09-99-092

100





Figure 1

PRIOR ART

Figure 2

PRIOR ART

300



PRIOR ART


P09-99-092 4 of 11

				400					
				J 402	2				
AC FC	C Destination MACID Source M			Source MACID	{RI}				
Figure 4 PRIOL ART									
0 15 16 31									
Version			16	Packet Length	31				
Identification		lication	Flags	Fragment Offset					
-	TTL Protocol		IP Checksum						
			l P Address		~ 502				
	Destination IP Address								
{Options}									
l	ı								
	1.600								
602 o 15 16 Source Port Destination Port									
\$									
Sequence Number									
	<u> </u>								
Hdr Len		Flags		Window Size					
TCP Checksum				Urgent Pointer					
	7								
Figure 6									

PRIOR ART

P09-92-092 5 of 11

700 S




PRIOR ART

P09-99-092 Le of 11

	MAC Hdr	IP Hdr	TCP Hdr	Data
	MACID	IP Addr	Port No	Application Data
802a		_804a		
	1	1.1.1.1	1	
		_804b		
802b [802c [2	1.1.1.2	1	
ia Pa		ے 804 ہے		
\$02c	3	1.1.1.3	1	
		_804d		
= 802d \ ==	4	1.1.1.4	1	
	•	•	•	•
	•	804n:	•	•
	100	1.1.1.100	1	

Figure 8



that the term that the term in




Figure 10

Pog-99-092 9 of 11

j₁00






Figure II

POG-99-092



Poq. 99-092 11 of 11 ~1400



ŰĀ

Figure 14